


MICHAEL A. HIERL
ARNE M. OLSON
DOLORES T. KENNEY
TALIVALDIS CEPURITIS
KATHRYN E. GARIPAY
JOSEPH M. KUO

MARTIN J. CORN
DENNIS H. MA
BRUCE R. MANSFIELD
MARK R. BAGLEY



LAW OFFICES OF
OLSON & HIERL, LTD.
20 NORTH WACKER DRIVE
36TH FLOOR
CHICAGO, ILLINOIS 60606
(312) 580-1180
FACSIMILE (312) 580-1189
firm@olsonhierl.com

PATENTS
TRADEMARKS
& RELATED MATTERS

SEYMOUR ROTHSTEIN
OF COUNSEL

ROBERT J. ROSS, Ph.D.
PATENT AGENT

September 28, 2005

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Attn: Certificate of Correction Branch

Certificate

OCT 04 2005

of Correction

Re: Re: U.S. Patent No. 6,875,616 B1; Former U.S. Serial No.: 09/242,254
For: Process for Determining the Status of an Organism by Peptide Measurement
Inventors: (Forssmann, et al.), Issued April 5, 2005

Sir:

In accordance with 37 C.F.R. 1.322, approval of the attached Certificate of Correction relating to the above-identified patent is requested. The proposed Certificate is submitted in duplicate. The printing mistakes were the obvious error of the Patent and Trademark Office, so no fee is incurred.

It is requested that a Certificate of Correction be issued embodying the enclosed corrections.

Respectfully submitted,

By *Dolores T. Kenney*
Dolores T. Kenney (Reg. No. 31,269)

Customer Number 02387
OLSON & HIERL, LTD.
20 N. Wacker Drive - 36th Floor
Chicago, IL 60606
(312) 580-1180
Attorneys for Patentee

CERTIFICATE OF MAILING

I hereby certify that this paper and the attachments are being deposited with the United States Postal Service with sufficient postage as First Class Mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 Attn: Certificate of Correction Branch on this 28th day of September, 2005.

Dolores T. Kenney
Dolores T. Kenney

OCT 11 2005

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**Page 1 of 1

PATENT NO. : 6,875,616 B1

APPLICATION NO.: 09/242,254

ISSUE DATE : April 5, 2005

INVENTOR(S) : Forssmann, et al

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 6, line 62, change "a pH value of between 2.0 and .4.0 with:" to --a pH value of between 2.0 and 4.0 with--.

Column 7, line 4, change "5 of ascitic" to --5 l of ascitic--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

OLSON & HIERL, LTD.
20 North Wacker Drive, Suite 3600
Chicago, Illinois 60606

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

OCT 11 2005